## Section 8 References

ASTM (American Society for Testing and Materials). 1995. *Standard Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites*. Designation E1739-95.

Atkin, Charles. 1994. Kalamazoo River Angler Survey.

ATSDR (Agency for Toxic Substances and Disease Registry). 1996. *Toxicological Profile for Polychlorinated Biphenyls*. U.S. Public Health Service/ATSDR/U.S. Department of Health and Human Services.

ATSDR and EPA (U.S. Environmental Protection Agency). 1998. *Public Health Implications of Polychlorinated Biphenyls (PCBs) exposures*. U.S. Public Health Service/ATSDR/U.S. Department of Health and Human Services.

Bandiera, S., K. Farrel, G. Mason, et al. 1984. Comparative Toxicities of the Polychlorinated Dibenzofuran (PCDF) and Biphenyl (PCB) Mixtures which Persist in Yusho Victims. *Chemosphere*. 13:507-12.

Bertazzi, P.A., L. Riboldi, A. Persatori, L. Radice, and C. Zoccetti. 1987. Cancer Mortality of Capacitor Manufacturing Workers. *Am J Ind Med.* 11:165-76.

BB&L (Blasland, Bouck & Lee, Inc.). 1998. Allied Paper Inc./Portage Creek/ Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft

Birmingham, B., A. Gilman, D. Grant, et al. 1989. PCDD/PCDF Multimedia Exposure Analysis for the Canadian Population: Detailed Exposure Estimation. *Chemosphere*. 19:637-42.

Addendum 3 to Technical Memorandum 14 - Biota Investigation.

\_\_\_\_\_\_\_. 1997. Allied Paper Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Revised Human Health Risk Assessment for King Highway Landfill.

\_\_\_\_\_\_. 1996. Allied Paper Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation/Feasibility Study. Draft Human Health Risk Assessment for King Highway Landfill.

\_\_\_\_\_\_. 1995a. Allied Paper Inc./Portage Creek/Kalamazoo River Superfund Site

\_\_\_\_\_. 1995b. Allied Paper Inc./Portage Creek/Kalamazoo River Superfund Site Remedial Investigation Feasibility Study. Addendum 2 to Draft Technical Memorandum 14 - Biota Investigation. December.

Remedial Investigation/Feasibility Study. Technical memorandum 16 - Surface Water



Investigation. March.



Cogliano, James. 1998. Assessing the Cancer Risk from Environmental PCBs.

Environmental Health Perspectives. 106(6). June.

0000

CRITFC (Columbia River Inter-Tribal Fish Commission). 1994. A Fish Consumption Survey of the Umatila, Nez Perce, Yakama and Warm Springs Tribes of the Columbia River Basin. Technical Report 94-3. Portland, Oregon: CRITFC.

Cornelius, S.D., MDNR to M.P. Brown, Blasland Bouck & Lee, Inc. April 1994. Letter transmitting conditional approval comments, and insertions for technical memorandum 5 - Willow Blvd./A-Site Operable Unit Results of Air Investigation.

Cressie, N.A.C. 1991. Statistics for Spatial Data. New York: John Wiley & Sons, Inc.

Dellinger, J.A., S.L. Gertensberger, L.K. Hansen, and L.L. Malek. 1997. Ojibwa Health Study: Assessing the Health Risks from Consuming Contaminated Great Lakes Fish. Health Conference '97 Great Lakes and St. Lawrence. Montreal, Quebec, Canada.

Dewailly, E., S. Bruneau, P. Ayotte, et al. 1993a. Health Status at Birth of Inuit Newborns Prenatally Exposed to Organochlorines. *Chemosphere*. 27:359-66.

Efron, B. 1982. The Jackknife, the Bootstrap and Other Resampling Methods. *Society for Industrial and Applied Mathematics*. CBMS-NSF Monograph 38.

EPA (U.S. Environmental Protection Agency). 1999. Integrated Risk Information System


. 1998a. Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual. Supplemental Guidance. Dermal Risk Assessment. Interim Guidance. External Review Draft. NCEA-W-0364. May 7. \_. 1998b. Risk Assessment Guidance for Superfund: Volume I Human Health Evaluation Manual (Part D, Standardized Planning, Reporting, and Review of Superfund Risk Assessments). Office of Emergency and Remedial Response. Publication 9285.7-01D. January. . Region V. 1997a. Summary of Analyses to Develop a Covenant-Not-to-Sue Level for PCB Contaminated Sediment in Saginaw River, Saginaw Bay, Michigan. December 31. . 1997b. Health Effects Assessment Summary Tables. FY 1997 Update. Solid Waste and Emergency Response. Washington, DC. EPA-540-R-97-036. \_. 1997c. Exposure Factors Handbook Volume I - III. Office of Research and Development. Washington, DC. EPA/600/P-95/002Fa. . 1996. Cancer Dose-Response Assessment and Application to Environmental Mixtures. National Center for Environmental Assessment, Office of Research and Development. EPA/600/P-96/00F.

. 1995a. Guidance for Assessing Chemical Contaminant Data for Use in Fish

Advisories. Office of Water. EPA 823-R-95-007. September.



(IRIS). March.



Wisconsin Anglers. *Arch. Environ. Health.* 44:82-88.

Fitzgerald, E.F., K.A. Brix, D.A. Deres, et al. 1996. Polychlorinated Biphenyl (PCB) and Dichlorodiphenyl Dichloroethylene (DDE) Exposure among Native American Men

Fish Consumption and Body Burden Levels of Chlorinated Hydrocarbons: A Study of

Fitzgerald, E., S.A. Hwang, K.A. Briz, B. Bush, K, Cook, and P. Worswick. 1995. Fish PCB Concentrations and Consumption Patterns among Mohawk Women at Akwesasne. *J. Exp. Anal. Environ. Epid.* 5(1):1-19.

from Contaminated Great Lakes Fish and Wildlife. Toxicol Ind Health. 12:361-8.

Gerstenberger, S.L., O.R. Tarvis, L.K. Hansen, J. Pratt-Shelley, and J.A. Dellinger. 1997. Concentrations of Blood and Hair Mercury and Serum PCBs in an Ojibawa Population that Consumes Great Lakes Region Fish. *J. Toxicol Clin Toxicol*. 35:377-86.

Great Lakes Fish Advisory Task Force. 1993. Protocol for a Uniform Great Lakes Sport Fish Consumption Advisory. September.

Guo Y-L, G.H. Lambert, and C.C. Hsu. 1995. Growth Abnormalities in the Population Exposed in Utero and Early Postnatally to Polychlorinated Biphenyls and Dibenzofurans. *Environ Health Perspect.* 103(Suppl 6):117-22.



Hagamar, L., T. Hallbery, M. Leja, A. Nilsson, and A. Schultz. 1995. High Consumption of Fatty Fish from the Baltic Sea is Associated with Changes in Human Lymphocyte Subset Levels. *Toxicol Lett.* 77:335-42.

Hardell, L, et al. 1996. Higher Concentrations of Specific Polychlorinated Biphenyl Cogeners in a Dispose Tissue from Non-Hodgkin's Lymphoma Patients Compared with Controls without a Malignant Disease. *Int. J. Oncology.* 9:603-608.

Hornshaw, T.C., et al. (1983). Feeding Great Lakes Fish to Mink: Effects on Mink and Accumulation and Elimination of PCBs by Mink. *J. Toxicology and Environmental Health.* 11:933-946.

Hovinga, M.E., M. Sowers, and H.E.B. Humphrey. 1992. Historical Changes in Serum PCB and DDT Levels in an Environmentally Exposed Cohort. *Arch. Environ Contam. Toxicol.* 22:362-366.

Humphrey, H.E.B. 1998. Chemical Contaminants in the Great Lakes: The Human Health Aspect, in M.L. Evans, (Ed.) Toxic Contaminants and Ecosystem Health: A Great Lakes Focus, New York: John Wiley & Sons, Inc. 7.

Humphrey, \_\_\_\_\_, et al. 2000. PCB Congener Profile in the Serum of Humans Consuming Great Lakes Fish. *Environmental Health Perspectives*. 108(2). February.

Hutchinson, R. 1994. Fish Consumption by Hmong Households in Sheboygan, Wisconsin. Prepared for Tecumseh Products Company, Sheboygan Falls, Wisconsin. September.

Hutchinson R. and C.E. Kraft. 1994. Hmong Fishing Activity and Fish Consumption. *J. Great Lakes Res.* 20(2):471-478.

Jacobson, J.L., S.W. Jacobson, and H.E.B. Humphrey. 1990a. Effects of In Utero Exposure to Polychlorinated-Biphenyls and Related Contaminants on Cognitive-Functioning in Young Children. *J. Pediatr.* 116:38-45.

\_\_\_\_\_. 1990b. Effects of Exposure to PCBs and Related Compounds on Growth and Activity in Children. *Neurotoxicol Teratol.* 12:319-26.

Jacobson ,S.W., G.G. Fein, J.L. Jacobson, et al. 1985. The Effect of Intrauterine PCB Exposure on Visual Recognition Memory. *Child Dev.* 56:856-60.

Johnson, Barry L., et al. 1998. Public Health Implications of Persistent Toxic Substances in the Great Lakes and St. Lawrence Basins. *J. Great Lakes Res.* 24(2):698-722.

Journel, A.G. and C.J. Huijbregts. 1973. *Mining Geostatistics*. New York: Academic Press.



Kern, J. W. and K.O. Coyle. 2000. Global Block Kriging to Estimate Biomass from Acoustic Surveys for Zooplankton in the Western Aleutian Islands. *Can. J. Fish. Aquatic Sci.* 57:2112-2121.

Kimbrough, R.D., M.L. Doemland, and M.E. LeVois. 1999. Mortality in Male and Female Capacitor Worker Exposed to Polychlorinated BiPhenyls. *Journals of Occupational and Environmental Medicine*. 41(3). March.

Kunita, N, T. Hashimoto, H. Miyata, et al. 1984. Casual Agents of Yusho. *Am J Ind Med.* 5:45-58.

Lonky, E., J. Reihman, T. Darvill, J. Mather, and H. Daly. 1996. Neonatal Behavioral Assessment Scale Performance in Humans Influenced by Maternal Consumption of Environmentally Contaminated Lake Ontario Fish. *J. Great Lakes Res.* 22:198-212.

Masuda, Y. and H. Yoshimura. 1984. Polychlorinated Biphenyls and Dibenxofurans in Patients with Yusho and Their Toxicological Significance: Review. *Am J Ind Med.* 3:51-44.

MDCH (Michigan Department of Community Health). 2000a. <i>Michigan 2000 Fish Advisory</i> .
2000b. Interim Operational Memorandum #18; Generic Soil Direct Contact Criteria.
2000c. Kalamazoo Angler Survey and Biological Testing Study, Public Comment Draft. Submitted by Environmental Epidemiology Division of the Michigan Community Health Agency to the U.S. Department of Health and Human Services Agency for Toxic Substances and Disease Registry. Atlanta, Georgia. August 1998.
1998b. Criteria for Placing Fish on the Michigan Sport Fish Consumption Advisory. Environmental Epidemiology Division.
1997. Health Consultation Allied Paper/Portage Creek/Kalamazoo River/Allegan Counties, Michigan. CERCLIS No. MID006007306, July 2, 1997.
1991. Preliminary Health Assessment for Allied Corp. Kalamazoo Plant. Kalamazoo Michigan. CERCLIS No. MID006007306. December 23, 1991.
MDNR (Michigan Department of Natural Resources). 1995. Interim Environmental Response Division Operational Memorandum #8, Revision 4: Generic Residential Cleanup Criteria. June 5, 1995.
1987. Kalamazoo River Remedial Action Plan.
Newhook, R.C. 1988. Polybrominated Biphenyls: Multimedia Exposure Analysis -

Contract Report to the Department of National Health and Welfare, Ottawa, Canada.



Oliver, B.G. and A.J. Niimi. 1988. Trophodynamic Analysis of Polychlorinated Biphenyl Congeners and Other Chlorinated Hydrocarbons in the Lake Ontario Ecosystem. *Environmental Sci. Technol.* 22:388-397.

Pelka, Amy. 1998. Bioaccumulation Models and Applications, Setting Sediment Cleanup Goals in the Great Lakes. *Proceedings of the National Sediment Bioaccumulation Conference.* 

Peterson, D., M. Kanarek, M. Kuykendall, J. Diedrich, H. Anderson, P. Remington, and T. Sheffy. 1994. Fish Consumption Patterns and Blood Mercury Levels in Wisconsin Chippewa Indians. *Archives. Environ. Health.* 49:53-58.

Rothman, N, K.P. Cantor, A. Blair, et al. 1997. A Nested Case-Control Study of Non-Hodgkin Lymphoma and Serum Organochlorine Residues. *Lancet*. 350:240-4.

Ryan, J.J., T.A. Gasiewicz, and J.F. Brown, Jr. 1990. Human Body Burden of Polychlorinated Dibenzofurans Associated with Toxicity Based on the Yusho and Yucheng Incidents. *Fundam Appl Toxicol.* 15:722-31.

Sidwell, Virginia D. 1991. Chemical and Nutritional Composition of Finfishes, Whales, Crustaceans, Mollusks, and Their Products. NOALL technical memorandum NMFS F/SEC-11. U.S. Dept. of Commerce. NOAA.NMFS.

Sinks, T., G. Steele, A.B. Smith, et al. 1992. Mortality among Workers Exposed to Polychlorinated Biphenyls. *Am J Epidemiol.* 136:389-98.

Stewart, \_\_\_\_ et al. 2000. Prenatal PCB Exposure and Neonatal Behavioral Assessment Scale (NBAS) Performance. *Neurotoxicology and Teratology*. 22(2000)21-29.

Svensson, B.G., T. Hallberg, A. Nilsson, et al. 1994. Parameters of Immunological Competence in Subjects with High Consumption of Fish Contaminated with Persistent Organochlorine Compounds. *Int Arch Occup Environ Health*. 65:351-58.

Tarvis, D., K. Hegmann, S. Gerstenberger, L. Malek, and J. Dellinger. 1997. Association of Mercury and PCB Levels with Chronic Health Effects in Native Americans. Health Conference '97 Great Lakes and St. Lawrence. Montreal, Quebec, Canada.

Taylor, P.R., C.E. Lawrence, H.L. Hwang, and A.S. Paulson. 1984. Polychlorinated Biphenyls: Influence on Birthweight and Gestation. *Amer J Pub Health.* 74:1153-4.

Taylor, P.R., J.M. Stelma, and C.E. Lawrence. 1989. The Relation of Polychlorinated Biphenyls to Birth Weight and Gestational Age in the Offspring of Occupationally Exposed Mothers. *Am J Epidemiol*. 129:395-406.



ThermoRetec Consulting Corporation. 1999. Baseline Human Health and Ecological Risk Assessment for the Lower Fox River, Wisconsin.

Weisglas-Kuperus, N., T.C.J. Sas, C. Koopman-Esseboom, et al. 1995. Immunologic Effects of Background Prenatal and Postnatal Exposure to Dioxins and Polychlorinated Biphenyls in Dutch Infants. *Pediatr Res.* 38:404-10.

West, Patrick, et al. 1993. 1991-1992 Michigan Sport Angler Fish Consumption Study. University of Michigan, School of Natural Resources. Final Report to the Michigan Great Lakes Protection Fund, Michigan Department of Natural Resources.

\_\_\_\_\_\_. 1989. Michigan Sport Anglers Fish Consumption Survey. Published as *Natural Resource Sociology Research Lab Technical Report #1.* University of Michigan School of Natural Resources. A Report to the Michigan Toxic Substance Control Commission. May.

Wolfe, R.J. and R.J. Walker. 1987. Subsistence Economics in Alaska: Productivity, Geography, and Development Impacts. *Arctic Anthropology*. 24(2):56-81.

Zabik, Mary E., et al. 1995. Pesticides and Total Polychlorinated Biphenyls in Chinook Salmon and Carp Harvested from the Great Lakes: Effects of Skin-on and Skin-off Processing and Selected Cooking Methods. *J. Agrie. Foo chem.* 43(4).

